

- 1. 4'-0" I.D. FOR 18" & SMALLER PIPES. 5'-0" I.D. FOR 21" & LARGER PIPES.
- 2. PRECAST CONCRETE INVERTS MAY BE USED IN LIEU OF POURED BASES.
- 3. MANHOLES MUST NOT HAVE ANY LARGE CHIPPED AREAS, BROKEN AREAS, CRACKS, OR EXPOSED REINFORCEMENT, OR OTHER DEFECTS. DEFECTIVE MANHOLES WILL NOT BE ACCEPTED.
- 4. STEEL PIPE TO HAVE AN INSIDE COAL-TAR LINING, 3/32 INCH MINIMUM THICKNESS. THE OUTSIDE SHALL BE SAND OR GRIT BLASTED AND COATED WITH TWO COATS OF URETHANE PAINT SUCH AS TNEMEC 73-ENDURA SHIELD FOR A TOTAL DRY FILM THICKNESS OF 5 MILS. COLOR TO BE "OLIVE GREEN"
- 5. MANHOLES WITH A DEPTH OF 10.0' OR GREATER MUST BE 5' DIAMETER.
- 6. WRAP DUTSIDE MANHOLE SEAMS (JOINTS) WITH A WIDE BUTYL TAPE

|               | DATE: DCTDBER 17, 2006  <br>AMENDED: MAY 19, 2009 |
|---------------|---|
| SEWER SYSTEMS | NOT TO SCALE                                      |
| MANHOLE VENT  | STANDARD SS-4                                     |